



**República Argentina - Poder Ejecutivo Nacional**  
2020 - Año del General Manuel Belgrano

**Disposición**

**Número:**

**Referencia:** 1-47-3110-4824-18-9

---

VISTO el Expediente N° 1-47-3110-4824-18-9 del Registro de esta Administración Nacional de Medicamentos, Alimentos y Tecnología Médica (ANMAT), y

CONSIDERANDO:

Que por las presentes actuaciones la firma JOHNSON & JOHNSON MEDICAL S.A. solicita la revalidación y modificación del Certificado de Inscripción en el RPPTM N° PM-16-950, denominado CLAVOS PARA TIBIA CON PROTECCIÓN, marca SYNTHES.

Que lo solicitado se encuadra dentro de los alcances de la Disposición ANMAT N° 2318/02, sobre el Registro Nacional de Productores y Productos de Tecnología Médica (RPPTM).

Que la documentación aportada ha satisfecho los requisitos de la normativa aplicable.

Que el Instituto Nacional de Productos Médicos ha tomado la intervención que le compete.

Que se actúa en virtud de las facultades conferidas por el Decreto N° 1490/92 y sus modificatorios.

Por ello;

EL ADMINISTRADOR NACIONAL DE LA ADMINISTRACIÓN NACIONAL DE  
MEDICAMENTOS, ALIMENTOS Y TECNOLOGÍA MÉDICA

DISPONE:

ARTÍCULO 1°.- Revalídese la fecha de vigencia del Certificado de Inscripción en el RPPTM N° PM-16-950,

correspondiente al producto médico denominado CLAVOS PARA TIBIA CON PROTECCIÓN, marca SYNTHES, propiedad de la firma JOHNSON & JOHNSON MEDICAL S.A. obtenido a través de la Disposición ANMAT N° 5572/13 de fecha 03 de septiembre de 2013, la cual será 03 de septiembre de 2023.

ARTÍCULO 2°.- Autorízase la modificación del Certificado de Inscripción en el RPPTM N° PM-16-950, denominado CLAVOS PARA TIBIA CON PROTECCIÓN, marca SYNTHES.

ARTÍCULO 3°.- Acéptase el Anexo de Autorización de Modificaciones documento GEDO N° IF-2020-10796980-APN-INPM#ANMAT., el que deberá agregarse al Certificado de Inscripción en el RPPTM N° PM-16-950.

ARTICULO 4°.- En los Rótulos e Instrucciones de uso deberán constar la modificación autorizadas.

ARTÍCULO 5°.- Regístrese; por el Departamento de Mesa de Entrada, notifíquese al interesado y hágasele entrega de la presente Disposición conjuntamente con su Anexo, gírese a la Dirección de Gestión de Información Técnica para que efectúe la agregación al Certificado de Inscripción correspondiente. Cumplido, archívese.

Expediente N° 1-47-3110-4824-18-9

Digitally signed by GARAY Valeria Teresa  
Date: 2020.07.29 00:37:48 ART  
Location: Ciudad Autónoma de Buenos Aires

Digitally signed by GESTION DOCUMENTAL  
ELECTRONICA - GDE  
Date: 2020.07.29 00:37:55 -03:00

## ANEXO DE AUTORIZACION DE MODIFICACIONES

La Administración Nacional de Medicamentos, Alimentos y Tecnología Médica (ANMAT), autoriza a la firma JOHNSON & JOHNSON MEDICAL S.A. la modificación de los datos característicos correspondientes al Certificado de Inscripción en el RPPTM N° PM-16-950 de acuerdo con los datos que figuran en tabla al pie, del producto:

Nombre descriptivo: CLAVOS PARA TIBIA CON PROTECCIÓN

Marca: SYNTHES

Disposición Autorizante de (RPPTM) N° 5572/13 de fecha 03 de septiembre de 2013.

Tramitado por expediente N° 1-47-3412-12-9.

| <b>DATO IDENTIFICATORIO A MODIFICAR</b> | <b>DATO AUTORIZADO HASTA LA FECHA</b>  | <b>MODIFICACIÓN / RECTIFICACIÓN AUTORIZADA</b>   |
|---|--|--|
| Vigencia del certificado                | 03 septiembre 2013   | 03 de septiembre 2023  |
| Nombre Genérico                         | Clavos para tibia con protección   | Clavos para tibia con protección e instrumental asociado   |
| Marca                                   | Synthes  | Depuy Synthes  |
| Modelos                                 | 04.004.334SAB Expert TN PROtect, L 270mm, Gentamicina sulfato<br><br>04.004.331SAB Expert TN PROtect, L 255mm, Gentamicina sulfato<br><br>04.004.273SAB Expert TN PROtect, L 465mm, Gentamicina sulfato<br><br>04.004.270SAB Expert TN PROtect, L 450mm, Gentamicina sulfato | 04.004.331SAB Clavo tibial Expert PROtect Ø 9.0mm, canulado, L 255mm<br><br>04.004.334SAB Clavo tibial Expert PROtect Ø 9.0mm, canulado, L 270mm<br><br>04.004.337SAB Clavo tibial Expert PROtect Ø 9.0mm, canulado, L 285mm<br><br>04.004.340SAB Clavo tibial Expert PROtect Ø 9.0mm, canulado, L 300mm |

|   |  |
|---|--|
| 04.004.267SAB Expert<br>TN PROtect, L 435mm,<br>Gentamicina sulfato | 04.004.343SAB Clavo tibial<br>Expert PROtect Ø 9.0mm,<br>canulado, L 315mm |
| 04.004.264SAB Expert<br>TN PROtect, L 420mm,<br>Gentamicina sulfato | 04.004.346SAB Clavo tibial<br>Expert PROtect Ø 9.0mm,<br>canulado, L 330mm |
| 04.004.261SAB Expert<br>TN PROtect, L 405mm,<br>Gentamicina sulfato | 04.004.349SAB Clavo tibial<br>Expert PROtect Ø 9.0mm,<br>canulado, L 345mm |
| 04.004.258SAB Expert<br>TN PROtect, L 390mm,<br>Gentamicina sulfato | 04.004.352SAB Clavo tibial<br>Expert PROtect Ø 9.0mm,<br>canulado, L 360mm |
| 04.004.255SAB Expert<br>TN PROtect, L 375mm,<br>Gentamicina sulfato | 04.004.355SAB Clavo tibial<br>Expert PROtect Ø 9.0mm,<br>canulado, L 375mm |
| 04.004.252SAB Expert<br>TN PROtect, L 360mm,<br>Gentamicina sulfato | 04.004.358SAB Clavo tibial<br>Expert PROtect Ø 9.0mm,<br>canulado, L 390mm |
| 04.004.249SAB Expert<br>TN PROtect, L 345mm,<br>Gentamicina sulfato | 04.004.361SAB Clavo tibial<br>Expert PROtect Ø 9.0mm,<br>canulado, L 405mm |
| 04.004.246SAB Expert<br>TN PROtect, L 330mm,<br>Gentamicina sulfato | 04.004.364SAB Clavo tibial<br>Expert PROtect Ø 9.0mm,<br>canulado, L 420mm |
| 04.004.243SAB Expert<br>TN PROtect, L 315mm,<br>Gentamicina sulfato | 04.004.367SAB Clavo tibial<br>Expert PROtect Ø 9.0mm,<br>canulado, L 435mm |
| 04.004.240SAB Expert<br>TN PROtect, L 300mm,<br>Gentamicina sulfato | 04.004.370SAB Clavo tibial<br>Expert PROtect Ø 9.0mm,<br>canulado, L 450mm |
| 04.004.237SAB Expert<br>TN PROtect, L 285mm,<br>Gentamicina sulfato | 04.004.373SAB Clavo tibial<br>Expert PROtect Ø 9.0mm,<br>canulado, L 465mm |
| 04.004.234SAB Expert<br>TN PROtect, L 270mm,                        | 04.004.431SAB Clavo tibial<br>Expert PROtect Ø 10.0mm,                     |

|   |   |
|---|---|
| Gentamicina sulfato   | canulado, L 255mm   |
| 04.004.231SAB Expert<br>TN PROtect, L 255mm,<br>Gentamicina sulfato | 04.004.434SAB Clavo tibial<br>Expert PROtect Ø 10.0mm,<br>canulado, L 270mm |
| 04.004.773SAB Expert<br>TN PROtect, L 465mm,<br>Gentamicina sulfato | 04.004.437SAB Clavo tibial<br>Expert PROtect Ø 10.0mm,<br>canulado, L 285mm |
| 04.004.770SAB Expert<br>TN PROtect, L 450mm,<br>Gentamicina sulfato | 04.004.440SAB Clavo tibial<br>Expert PROtect Ø 10.0mm,<br>canulado, L 300mm |
| 04.004.767SAB Expert<br>TN PROtect, L 435mm,<br>Gentamicina sulfato | 04.004.443SAB Clavo tibial<br>Expert PROtect Ø 10.0mm,<br>canulado, L 315mm |
| 04.004.764SAB Expert<br>TN PROtect, L 420mm,<br>Gentamicina sulfato | 04.004.446SAB Clavo tibial<br>Expert PROtect Ø 10.0mm,<br>canulado, L 330mm |
| 04.004.761SAB Expert<br>TN PROtect, L 405mm,<br>Gentamicina sulfato | 04.004.449SAB Clavo tibial<br>Expert PROtect Ø 10.0mm,<br>canulado, L 345mm |
| 04.004.337SAB Expert<br>TN PROtect, L 285mm,<br>Gentamicina sulfato | 04.004.452SAB Clavo tibial<br>Expert PROtect Ø 10.0mm,<br>canulado, L 360mm |
| 04.004.458SAB Expert<br>TN PROtect, L 390mm,<br>Gentamicina sulfato | 04.004.455SAB Clavo tibial<br>Expert PROtect Ø 10.0mm,<br>canulado, L 375mm |
| 04.004.455SAB Expert<br>TN PROtect, L 375mm,<br>Gentamicina sulfato | 04.004.458SAB Clavo tibial<br>Expert PROtect Ø 10.0mm,<br>canulado, L 390mm |
| 04.004.452SAB Expert<br>TN PROtect, L 360mm,<br>Gentamicina sulfato | 04.004.461SAB Clavo tibial<br>Expert PROtect Ø 10.0mm,<br>canulado, L 405mm |
| 04.004.449SAB Expert<br>TN PROtect, L 345mm,<br>Gentamicina sulfato | 04.004.464SAB Clavo tibial<br>Expert PROtect Ø 10.0mm,<br>canulado, L 420mm |
| 04.004.446SAB Expert  | 04.004.467SAB Clavo tibial  |

|  |   |   |
|--|---|---|
|  | TN PROtect, L 330mm,<br>Gentamicina sulfato                         | Expert PROtect Ø 10.0mm,<br>canulado, L 435mm                               |
|  | 04.004.443SAB Expert<br>TN PROtect, L 315mm,<br>Gentamicina sulfato | 04.004.470SAB Clavo tibial<br>Expert PROtect Ø 10.0mm,<br>canulado, L 450mm |
|  | 04.004.440SAB Expert<br>TN PROtect, L 300mm,<br>Gentamicina sulfato | 04.004.473SAB Clavo tibial<br>Expert PROtect Ø 10.0mm,<br>canulado, L 465mm |
|  | 04.004.437SAB Expert<br>TN PROtect, L 285mm,<br>Gentamicina sulfato | 04.004.531SAB Clavo tibial<br>Expert PROtect Ø 11.0mm,<br>canulado, L 255mm |
|  | 04.004.434SAB Expert<br>TN PROtect, L 270mm,<br>Gentamicina sulfato | 04.004.534SAB Clavo tibial<br>Expert PROtect Ø 11.0mm,<br>canulado, L 270mm |
|  | 04.004.431SAB Expert<br>TN PROtect, L 255mm,<br>Gentamicina sulfato | 04.004.537SAB Clavo tibial<br>Expert PROtect Ø 11.0mm,<br>canulado, L 285mm |
|  | 04.004.373SAB Expert<br>TN PROtect, L 465mm,<br>Gentamicina sulfato | 04.004.540SAB Clavo tibial<br>Expert PROtect Ø 11.0mm,<br>canulado, L 300mm |
|  | 04.004.370SAB Expert<br>TN PROtect, L 450mm,<br>Gentamicina sulfato | 04.004.543SAB Clavo tibial<br>Expert PROtect Ø 11.0mm,<br>canulado, L 315mm |
|  | 04.004.367SAB Expert<br>TN PROtect, L 435mm,<br>Gentamicina sulfato | 04.004.546SAB Clavo tibial<br>Expert PROtect Ø 11.0mm,<br>canulado, L 330mm |
|  | 04.004.364SAB Expert<br>TN PROtect, L 420mm,<br>Gentamicina sulfato | 04.004.549SAB Clavo tibial<br>Expert PROtect Ø 11.0mm,<br>canulado, L 345mm |
|  | 04.004.361SAB Expert<br>TN PROtect, L 405mm,<br>Gentamicina sulfato | 04.004.552SAB Clavo tibial<br>Expert PROtect Ø 11.0mm,<br>canulado, L 360mm |
|  | 04.004.358SAB Expert<br>TN PROtect, L 390mm,<br>Gentamicina sulfato | 04.004.555SAB Clavo tibial<br>Expert PROtect Ø 11.0mm,<br>canulado, L 375mm |

|   |   |
|---|---|
| 04.004.355SAB Expert<br>TN PROtect, L 375mm,<br>Gentamicina sulfato | 04.004.558SAB Clavo tibial<br>Expert PROtect Ø 11.0mm,<br>canulado, L 390mm |
| 04.004.352SAB Expert<br>TN PROtect, L 360mm,<br>Gentamicina sulfato | 04.004.561SAB Clavo tibial<br>Expert PROtect Ø 11.0mm,<br>canulado, L 405mm |
| 04.004.349SAB Expert<br>TN PROtect, L 345mm,<br>Gentamicina sulfato | 04.004.564SAB Clavo tibial<br>Expert PROtect Ø 11.0mm,<br>canulado, L 420mm |
| 04.004.346SAB Expert<br>TN PROtect, L 330mm,<br>Gentamicina sulfato | 04.004.567SAB Clavo tibial<br>Expert PROtect Ø 11.0mm,<br>canulado, L 435mm |
| 04.004.343SAB Expert<br>TN PROtect, L 315mm,<br>Gentamicina sulfato | 04.004.570SAB Clavo tibial<br>Expert PROtect Ø 11.0mm,<br>canulado, L 450mm |
| 04.004.340SAB Expert<br>TN PROtect, L 300mm,<br>Gentamicina sulfato | 04.004.573SAB Clavo tibial<br>Expert PROtect Ø 11.0mm,<br>canulado, L 465mm |
| 04.004.634SAB Expert<br>TN PROtect, L 270mm,<br>Gentamicina sulfato | 04.004.631SAB Clavo tibial<br>Expert PROtect Ø 12.0mm,<br>canulado, L 255mm |
| 04.004.631SAB Expert<br>TN PROtect, L 255mm,<br>Gentamicina sulfato | 04.004.634SAB Clavo tibial<br>Expert PROtect Ø 12.0mm,<br>canulado, L 270mm |
| 04.004.573SAB Expert<br>TN PROtect, L 465mm,<br>Gentamicina sulfato | 04.004.637SAB Clavo tibial<br>Expert PROtect Ø 12.0mm,<br>canulado, L 285mm |
| 04.004.570SAB Expert<br>TN PROtect, L 450mm,<br>Gentamicina sulfato | 04.004.640SAB Clavo tibial<br>Expert PROtect Ø 12.0mm,<br>canulado, L 300mm |
| 04.004.567SAB Expert<br>TN PROtect, L 435mm,<br>Gentamicina sulfato | 04.004.643SAB Clavo tibial<br>Expert PROtect Ø 12.0mm,<br>canulado, L 315mm |
| 04.004.564SAB Expert<br>TN PROtect, L 420mm,                        | 04.004.646SAB Clavo tibial<br>Expert PROtect Ø 12.0mm,                      |

|   |   |
|---|---|
| Gentamicina sulfato   | canulado, L 330mm   |
| 04.004.561SAB Expert<br>TN PROtect, L 405mm,<br>Gentamicina sulfato | 04.004.649SAB Clavo tibial<br>Expert PROtect Ø 12.0mm,<br>canulado, L 345mm |
| 04.004.558SAB Expert<br>TN PROtect, L 390mm,<br>Gentamicina sulfato | 04.004.652SAB Clavo tibial<br>Expert PROtect Ø 12.0mm,<br>canulado, L 360mm |
| 04.004.555SAB Expert<br>TN PROtect, L 375mm,<br>Gentamicina sulfato | 04.004.655SAB Clavo tibial<br>Expert PROtect Ø 12.0mm,<br>canulado, L 375mm |
| 04.004.552SAB Expert<br>TN PROtect, L 360mm,<br>Gentamicina sulfato | 04.004.658SAB Clavo tibial<br>Expert PROtect Ø 12.0mm,<br>canulado, L 390mm |
| 04.004.549SAB Expert<br>TN PROtect, L 345mm,<br>Gentamicina sulfato | 04.004.661SAB Clavo tibial<br>Expert PROtect Ø 12.0mm,<br>canulado, L 405mm |
| 04.004.546SAB Expert<br>TN PROtect, L 330mm,<br>Gentamicina sulfato | 04.004.664SAB Clavo tibial<br>Expert PROtect Ø 12.0mm,<br>canulado, L 420mm |
| 04.004.543SAB Expert<br>TN PROtect, L 315mm,<br>Gentamicina sulfato | 04.004.667SAB Clavo tibial<br>Expert PROtect Ø 12.0mm,<br>canulado, L 435mm |
| 04.004.540SAB Expert<br>TN PROtect, L 300mm,<br>Gentamicina sulfato | 04.004.670SAB Clavo tibial<br>Expert PROtect Ø 12.0mm,<br>canulado, L 450mm |
| 04.004.537SAB Expert<br>TN PROtect, L 285mm,<br>Gentamicina sulfato | 04.004.673SAB Clavo tibial<br>Expert PROtect Ø 12.0mm,<br>canulado, L 465mm |
| 04.004.534SAB Expert<br>TN PROtect, L 270mm,<br>Gentamicina sulfato | 04.015.520 Tornillo bloqueo<br>p/hueso esponj. Ø 5.0mm, L<br>30mm           |
| 04.004.531SAB Expert<br>TN PROtect, L 255mm,<br>Gentamicina sulfato | 04.015.525 Tornillo bloqueo<br>p/hueso esponj. Ø 5.0mm, L<br>35mm           |
| 04.004.473SAB Expert  | 04.015.530 Tornillo bloqueo   |



|   |   |
|---|---|
| TN PROtect, L 465mm,<br>Gentamicina sulfato                         | p/hueso esponj. Ø 5.0mm, L<br>40mm                                |
| 04.004.470SAB Expert<br>TN PROtect, L 450mm,<br>Gentamicina sulfato | 04.015.535 Tornillo bloqueo<br>p/hueso esponj. Ø 5.0mm, L<br>45mm |
| 04.004.467SAB Expert<br>TN PROtect, L 435mm,<br>Gentamicina sulfato | 04.015.540 Tornillo bloqueo<br>p/hueso esponj. Ø 5.0mm, L<br>50mm |
| 04.004.464SAB Expert<br>TN PROtect, L 420mm,<br>Gentamicina sulfato | 04.015.545 Tornillo bloqueo<br>p/hueso esponj. Ø 5.0mm, L<br>55mm |
| 04.004.461SAB Expert<br>TN PROtect, L 405mm,<br>Gentamicina sulfato | 04.015.550 Tornillo bloqueo<br>p/hueso esponj. Ø 5.0mm, L<br>60mm |
| 04.004.637SAB Expert<br>TN PROtect, L 285mm,<br>Gentamicina sulfato | 04.015.555 Tornillo bloqueo<br>p/hueso esponj. Ø 5.0mm, L<br>65mm |
| 04.004.758SAB Expert<br>TN PROtect, L 390mm,<br>Gentamicina sulfato | 04.015.560 Tornillo bloqueo<br>p/hueso esponj. Ø 5.0mm, L<br>70mm |
| 04.004.755SAB Expert<br>TN PROtect, L 375mm,<br>Gentamicina sulfato | 04.015.565 Tornillo bloqueo<br>p/hueso esponj. Ø 5.0mm, L<br>75mm |
| 04.004.752SAB Expert<br>TN PROtect, L 360mm,<br>Gentamicina sulfato | 04.015.570 Tornillo bloqueo<br>p/hueso esponj. Ø 5.0mm, L<br>80mm |
| 04.004.749SAB Expert<br>TN PROtect, L 345mm,<br>Gentamicina sulfato | 04.015.575 Tornillo bloqueo<br>p/hueso esponj. Ø 5.0mm, L<br>85mm |
| 04.004.746SAB Expert<br>TN PROtect, L 330mm,<br>Gentamicina sulfato | 04.015.580 Tornillo bloqueo<br>p/hueso esponj. Ø 5.0mm, L<br>90mm |
| 04.004.743SAB Expert<br>TN PROtect, L 315mm,<br>Gentamicina sulfato | 04.005.408 Tornillo bloqueo<br>Stardrive® Ø 4.0mm, L 18mm         |
|   | 04.005.410 Tornillo bloqueo                                       |

|  |   |  |
|--|---|--|
|  | <p>04.004.740SAB Expert<br/>TN PROtect, L 300mm,<br/>Gentamicina sulfato</p> <p>04.004.737SAB Expert<br/>TN PROtect, L 285mm,<br/>Gentamicina sulfato</p> <p>04.004.734SAB Expert<br/>TN PROtect, L 270mm,<br/>Gentamicina sulfato</p> <p>04.004.731SAB Expert<br/>TN PROtect, L 255mm,<br/>Gentamicina sulfato</p> <p>04.004.673SAB Expert<br/>TN PROtect, L 465mm,<br/>Gentamicina sulfato</p> <p>04.004.670SAB Expert<br/>TN PROtect, L 450mm,<br/>Gentamicina sulfato</p> <p>04.004.667SAB Expert<br/>TN PROtect, L 435mm,<br/>Gentamicina sulfato</p> <p>04.004.664SAB Expert<br/>TN PROtect, L 420mm,<br/>Gentamicina sulfato</p> <p>04.004.661SAB Expert<br/>TN PROtect, L 405mm,<br/>Gentamicina sulfato</p> <p>04.004.658SAB Expert<br/>TN PROtect, L 390mm,<br/>Gentamicina sulfato</p> <p>04.004.655SAB Expert<br/>TN PROtect, L 375mm,<br/>Gentamicina sulfato</p> <p>04.004.652SAB Expert<br/>TN PROtect, L 360mm,</p> | <p>Stardrive® Ø 4.0mm, L 20mm</p> <p>04.005.412 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 22mm</p> <p>04.005.414 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 24mm</p> <p>04.005.416 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 26mm</p> <p>04.005.418 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 28mm</p> <p>04.005.420 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 30mm</p> <p>04.005.422 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 32mm</p> <p>04.005.424 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 34mm</p> <p>04.005.426 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 36mm</p> <p>04.005.428 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 38mm</p> <p>04.005.430 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 40mm</p> <p>04.005.432 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 42mm</p> <p>04.005.434 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 44mm</p> <p>04.005.436 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 46mm</p> <p>04.005.438 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 48mm</p> <p>04.005.440 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 50mm</p> <p>04.005.442 Tornillo bloqueo</p> |
|--|---|--|

|  |  |  |
|--|--|--|
|  | <p>Gentamicina sulfato</p> <p>04.004.649SAB Expert<br/>TN PROtect, L 345mm,<br/>Gentamicina sulfato</p> <p>04.004.646SAB Expert<br/>TN PROtect, L 330mm,<br/>Gentamicina sulfato</p> <p>04.004.643SAB Expert<br/>TN PROtect, L 315mm,<br/>Gentamicina sulfato</p> <p>04.004.640SAB Expert<br/>TN PROtect, L 300mm,<br/>Gentamicina sulfato</p> | <p>Stardrive® Ø 4.0mm, L 52mm</p> <p>04.005.444 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 54mm</p> <p>04.005.446 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 56mm</p> <p>04.005.448 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 58mm</p> <p>04.005.450 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 60mm</p> <p>04.005.452 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 62mm</p> <p>04.005.454 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 64mm</p> <p>04.005.456 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 66mm</p> <p>04.005.458 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 68mm</p> <p>04.005.460 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 70mm</p> <p>04.005.462 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 72mm</p> <p>04.005.464 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 74mm</p> <p>04.005.466 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 76mm</p> <p>04.005.468 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 78mm</p> <p>04.005.470 Tornillo bloqueo<br/>Stardrive® Ø 4.0mm, L 80mm</p> <p>04.005.516 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 26mm</p> <p>04.005.518 Tornillo bloqueo</p> |
|--|--|--|

|  |  |  |
|--|--|--|
|  |  | <p>Stardrive® Ø 5.0mm, L 28mm</p> <p>04.005.520 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 30mm</p> <p>04.005.522 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 32mm</p> <p>04.005.524 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 34mm</p> <p>04.005.526 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 36mm</p> <p>04.005.528 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 38mm</p> <p>04.005.530 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 40mm</p> <p>04.005.532 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 42mm</p> <p>04.005.534 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 44mm</p> <p>04.005.536 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 46mm</p> <p>04.005.538 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 48mm</p> <p>04.005.540 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 50mm</p> <p>04.005.542 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 52mm</p> <p>04.005.544 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 54mm</p> <p>04.005.546 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 56mm</p> <p>04.005.548 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 58mm</p> <p>04.005.550 Tornillo bloqueo</p> |
|--|--|--|

|  |  |  |
|--|--|--|
|  |  | <p>Stardrive® Ø 5.0mm, L 60mm</p> <p>04.005.552 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 62mm</p> <p>04.005.554 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 64mm</p> <p>04.005.556 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 66mm</p> <p>04.005.558 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 68mm</p> <p>04.005.560 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 70mm</p> <p>04.005.562 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 72mm</p> <p>04.005.564 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 74mm</p> <p>04.005.566 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 76mm</p> <p>04.005.568 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 78mm</p> <p>04.005.570 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 80mm</p> <p>04.005.575 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 85mm</p> <p>04.005.580 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 90mm</p> <p>04.005.585 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L 95mm</p> <p>04.005.590 Tornillo bloqueo<br/>Stardrive® Ø 5.0mm, L<br/>100mm</p> <p>04.004.000 Expert™ Tornillo<br/>cierre, prolongación 0mm</p> |
|--|--|--|

|                     |   |  |
|---------------------|---|--|
|                     |   | 04.004.001 Expert™ Tornillo cierre, prolongación 5mm<br>04.004.002 Expert™ Tornillo cierre, prolongación 10mm<br>04.004.003 Expert™ Tornillo cierre, prolongación 15mm<br>04.004.004 Expert™ Tornillo cierre, largo, prolongación 0mm<br>Instrumental asociado |
| Indicaciones de uso | Tratamiento quirúrgico y estabilización de fracturas en los huesos largos de las extremidades superiores. | Expert TN PROtect™ está pensado para el tratamiento quirúrgico y la estabilización de las fracturas tibiales.  |
| Vida Útil           | 1 año   | Implantes estériles: 3 años<br>Implantes no estériles e Instrumental: No aplica  |

El presente sólo tiene valor probatorio anexado al certificado de Autorización antes mencionado.

Expediente N° 1-47-3110-4824-18-9



República Argentina - Poder Ejecutivo Nacional  
2020 - Año del General Manuel Belgrano

**Hoja Adicional de Firmas**  
**Anexo**

**Número:**

**Referencia:** ANEX D. MOD. - JOHNSON & JOHNSON MEDICAL S.A.

---

El documento fue importado por el sistema GEDO con un total de 12 pagina/s.

Digitally signed by GESTION DOCUMENTAL ELECTRONICA - GDE  
Date: 2020.02.17 14:16:47 -03:00

Digitally signed by GESTION DOCUMENTAL  
ELECTRONICA - GDE  
Date: 2020.02.17 14:16:47 -03:00